

Recombinant Human Galectin-1

#R00565

Size: 10 µg/100 µg/500 µg

Stability & Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

- 12 months from date of receipt, -20 to -70 °C as supplied.
- 1 month, 2 to 8 °C under sterile conditions after reconstitution.
- 3 months, -20 to -70 °C under sterile conditions after reconstitution.



Warning: This product is intended for scientific research only. It is not to be used for medical or diagnostic procedures in humans or animals, nor as a food, cosmetic, or household product.

AA Sequence

ACGLVASNLNLKPGECLRVRGEVAPDAKSFVLNLGK
DSNNLCLHFNPRFNAHGDANTIVCNSKDGGAWGTE
QREAVFPFQPGSVAEVCITFDQANLTVKLPDGYEFKF
PNRLNLEAINYMAADGDFKIKCVAFD

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20 °C. Further dilutions should be made in appropriate buffered solutions.

Product Specification

Accession	P09382
GeneID	3956
Species	Human
Source	Escherichia coli.
Molecular Weight	Approximately 14.6 kDa, a single non-glycosylated polypeptide chain containing 134 amino acids.
Purity	> 95 % by SDS-PAGE and HPLC analyses.
Biological Activity	Fully biologically active when compared to standard. The biological activity determined by a chemotaxis bioassay using human blood monocytes is in a concentration range of 1.0-10 ng/ml.
Physical	Sterile Filtered White Lyophilized

Appearance	(freeze-dried) powder.
Formulation	Lyophilized from a 0.2 µm filtered solution in PBS pH 7.0, 3mM β-Me, 5% Trehalose, 0.02% Tween 20.
Endotoxin	Less than 0.1 EU/µg of rHuGalectin-1 as determined by LAL method.